

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered REPORT DOCUMENTATION PAGE 2. GOVT ACCESSION NO. 3. RECIPIENT'S CATALOG NUMBER 4. TITLE (and Subtitle) Laser Cooling and Trapping of Neutral Atoms AUTHOR(a) 10) William D./Phillips PERFORMING ORGANIZATION NAME AND ADDRESS Electrical Measurements and Standards Division () National Bureau of Standards Washington, DC 20234

READ INSTRUCTIONS BEFORE COMPLETING FORM

5. TYPE OF REPORT & PERIOD COVERED

FY 80 Interim#

8. CONTRACT OR GRANT NUMBER(*)

N00014-80--0035

RR011-03-03 1-AE NR 407-007

1103-030

September 1980 13. NUMBER OF PAGES

15. SECURITY CLASS. (of this report)

Unclassified 15. DECLASSIFICATION/DOWNGRADING

16. DISTRIBUTION STATEMENT (of this Report)

CONTROLLING OFFICE NAME AND ADDRESS

Office of Naval Research

Approved for public release; distribution unlimited

Physics Program Office
Arlington, VA 22217

14: MONITORING AGENCY NAME & ADDRESS(If different Frain Controlling Office)

OCT 23 1980

17. DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if different from Report)

E

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

laser cooling, atom trapping, optical pumping, high-resolution spectroscopy

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

Recent proposals for laser trapping of neutral atoms require that the trapped atoms have very low kinetic energy. We have studied the technique of cooling free neutral atoms using radition pressure and have examined some of the processes which limit the cooling. In particular, we have found large and previously unexpected effects due to optical pumping which not only impair cooling but mask the effects of cooling, making the interpretation of experiments ambiguous. We propose methods for reducing the ambibuity in atom cooling experiments and for alleviating the effects of optical pumping which inhibit

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE S/N 0102-LF-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

. 24080

THE COPY

•	ethods is	wew w	these	buţsn	sin o mine	dxə lo	s vol	paratus uction.	qA∑.•gni ritenoo •	r Good 1 under
٠										
					,					
		: : :	:						•	


SECURITY CLASSIFICATION OF THIS PAGE(Whom Dote Ente

Interim Summary Report

on

Laser Cooling and Trapping of Neutral Atoms

Contract No. N00014-80-F-0035 for Fiscal Year 1980



Principal investigator: William D. Phillips

Contract Description: We will perform an experimental investigation of the cooling of neutral atoms, and the use of cooled atoms in various types of electromagnetic neutral atom traps. Among the anticipated applications are improved frequency standards and improved high resolution spectroscopy.

Scientific Problem: At present, no investigators have reported successful optical trapping of atoms. The main difficulty is that optical traps are so shallow in energy that only very cold atoms can be confined; these cold atoms are not available from conventional sources. Therefore, cooling techniques are being attempted. Although investigators at the Institute for Spectroscopy (Moscow) claim to have cooled atoms, our experiments suggest that their data are ambiguous. The problem in cooling atoms as well as in interpreting data from cooling experiments lies in the optical pumping processes which occur during the cooling. By re-designing the Russian cooling experiment, we hope to avoid their problems with interpretation of data and perform an unambiguous cooling experiment.

Scientific and Technical Approach: Optical atom traps work by exerting forces on atoms through near resonant interaction of the atom with a laser beam. Just as a static dipole experiences a force in an inhomogeneous static field, an induced, oscillating dipole experiences a force in an inhomogeneous oscillating field. Radiation pressure provides another force which can be used in trapping. Radiation pressure—the transfer of photon momentum to atoms which absorb the radiation—can also be used to cool (or heat) atoms. If a near resonant laser beam is propagated against the direction of an atomic beam, momentum will be transferred and the beam will slow down. We intend to observe this change in momentum by velocity analysis using a second laser. This analysis will be done in the absense of light from the cooling laser beam.

Progress: During the past contract period we have completed installation of the laser system, atomic beam apparatus and detection apparatus needed

for these experiments. We have performed initial experiments which show that optical pumping processes greatly distort the absorption line shape when the laser beam interacts with the atomic beam long enough for significant cooling to occur. This effect masks the effects of the cooling, making interpretation difficult. We have designed and begun construction of several modified versions of the experiment which should eliminate the interpretation problem. We have also designed a system which we hope will eliminate the optical pumping problem altogether. Equipment to build this system is on order and construction should begin during the FY 81 contract period.

Publication: A report of preliminary results was given at the 7th International Conference on Atomic Physics as a poster.

Extenuating circumstances: We experienced a delay of several months while waiting for installation of cooling water needed to operate the lasers. The installation delay was caused by engineering difficulties and late material shipments to the Plant Division which designed and installed the cooling system.

Unspent funds: We expect no unspent funds at the end of the current contract.

Graduate students: No graduate students have worked on the project.

Other federal grant support: W.D. Phillips and three other investigators are supported by a \$15,000 grant from DoE for determination of the fine-structure constant.